



# BLOWOUT PREVENTERS

# PERFORMANCE

IS MORE THAN OUR NAME

**Performance Wellhead & Frac Components** is a leading oil and gas service company specializing in surface well-control equipment and related field services utilized in all phases of drilling, well stimulation, production and intervention operations. We have established a **stellar reputation for providing quality, dependable equipment**, as well as **exceptional field service and support functions**.

Performance Wellhead & Frac Components offers a wide variety of ongoing technical and support services for customers, including on-site **training and evaluations, equipment maintenance and applications engineering**.

## HIGHEST QUALITY STANDARDS

All components are manufactured and certified to API Standards.

- API 6A - 20th Edition
- Product Specification Level 1-4
- PR 1 / PR 2
- Material Class AA-HH/NL
- Temperature Class P-U

## BLOWOUT PREVENTERS

With a blowout preventer (BOP), you can create a pressure-tight seal at the top of the wellbore to restrict flow from the well. We offer a variety of annular and ram-type BOPs for production, drilling, and fracking operations. Your well control needs are supplemented with a full inventory which includes support equipment like blocks, flanges, choke manifolds, valves, and accumulators. We complement your BOP needs with valve repair, machining and field testing, service, and installation.

We offer new and used Double RAM and Annular Blowout Preventers for sale or rent, in repaired and refurbished condition, and from both American and Chinese manufacturers. Our inventory includes BOPs ranging from 7-1/16" through 13-5/8" bore sizes.



## BLOW OUT PREVENTERS FOR PRODUCTION

- 7-1/16" 3M Manual Blowout Preventers
- 7-1/16" 5M Hydraulic Blowout Preventers
- 7-1/16" 10M Hydraulic Blowout Preventers
- 7" 5M Annulars
- TIW valves, Larkin and Weco flanges, trailer-mounted accumulators, stripper heads



## BLOW OUT PREVENTERS FOR DRILLING

To accompany your BOP needs, we offer the following in new and used condition, and provide service for:

- Adaptor spools
- Mudcrosses
- DSA's
- Studded blocks
- Blind, weld neck and companion flanges
- Choke manifolds
- Air, Kelly and Dart valves
- Accumulators



## BLOW OUT PREVENTERS FOR FRACKING

- 10M Manual Ball Screw Valves in bores including: 7-1/16" and 5-1/8"
- 5M Manual Gate Valve in bores including: 7-1/16", 4-1/16"
- 10M Manual Gate Valve in bores including: 4-1/16", 3-1/8", 2-1/16" and 1-13/16"
- 7" 10M Hydraulic Gate Valves
- 4-1/16" 10M Hydraulic Valve
- 4-1/16" 5M Hydraulic Valve
- Zipper manifolds, flow crosses, goatheads, wireline adaptors, Weco adapters and flanges, accumulators



**CORPORATE HEADQUARTERS**

8505 Jackrabbit Road, Suite A  
Houston, Texas 77095  
Main: 281-200-2330  
Fax: 281-200-2332

**CENTRAL DISTRIBUTION &  
RECERTIFICATION**

555 Marvin A. Smith Road  
Kilgore, Texas 75662-5294  
Main: 903-234-8670  
Fax: 903-234-8676

**MID CONTINENT REGIONAL FACILITY**

3105 Davinion Rd  
El Reno, Oklahoma 73036  
Main: 405-422-1050

**EAGLE FORD SHALE REGIONAL  
FACILITY**

838 Humble Camp Road  
Pleasanton, Texas 78064  
Main: 830-569-2653  
Fax: 830-569-2694

**PERMIAN EAST FACILITY**

11200 W. I-20 E  
Odessa, Texas 79765  
Main: 432-561-9595  
Fax: 432-561-9597

**PERMIAN WEST FACILITY**

5381 W 42nd Street  
Odessa, Texas 79764  
Main: 432-385-7690  
Fax: 432-385-7693



[www.pwfrac.com](http://www.pwfrac.com)